



NOW APPROVED for people with a gastroesophageal adenocarcinoma (a cancer that affects the esophagus and the stomach) that tests positive for a protein called HER2 (HER2+ GEA)

Reimagine tomorrow with the HERIZON treatment combination

A treatment regimen proven to help people live longer than with currently available options*

*In the HERIZON clinical trial of 914 people with HER2+ GEA, those receiving the HERIZON treatment combination (TEVIMBRA + zanidatamab + chemotherapy) stayed alive for an average of 26 months, compared to 19 months for those receiving the other combination (trastuzumab + chemotherapy).

HER2, human epidermal growth factor receptor 2.

FDA-Approved Indications

TEVIMBRA is a prescription medicine used to treat adults with:

- **cancer of the tube that connects your throat to your stomach (esophageal cancer).**
TEVIMBRA may be used alone when your esophageal cancer:
 - ♦ is a type called squamous cell carcinoma, **and**
 - ♦ cannot be removed with surgery or has spread to other parts of the body (metastatic), **and**
 - ♦ you have had previous treatment that did not include a PD-(L)1 inhibitor medicine.

It is not known if TEVIMBRA is safe and effective in children.

Important Safety Information

TEVIMBRA works with your immune system. It can cause your immune system to attack normal organs and tissues in any area of your body and can affect the way they work. These problems can sometimes become severe or life-threatening and can lead to death. You can have more than one of these problems at the same time. These problems may happen anytime during treatment or even after your treatment has ended.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.


TEVIMBRA[®]
(tislelizumab-jsgr)
Injection, for intravenous use 10 mg/mL



Actor portrayal.

GET STARTED



Table of contents



Click on the buttons below to learn more about a topic.

UNDERSTANDING THE DISEASE AND THE TREATMENT

- [4 About HER2+ GEA >](#)
- [5 About the HERIZON treatment combination >](#)
- [6 Results with the HERIZON treatment combination >](#)

GETTING STARTED WITH TREATMENT

- [7 What is an infusion? >](#)
- [8 Preparing for infusions >](#)
- [9 Making yourself comfortable >](#)
- [10 What to expect during infusions >](#)

TRACKING HOW YOU'RE FEELING

- [11 Managing side effects >](#)
- [14 Managing diet >](#)

HELPFUL SUPPORT AND RESOURCES

- [15 Cancer community resources >](#)
- [16 myBeOne Patient Support >](#)

IMPORTANT SAFETY INFORMATION

- [17 Important Safety Information >](#)

Please read the accompanying [Medication Guide](#) for TEVIMBRA and discuss it with your doctor.

Reimagining tomorrow starts today

Now that your doctor has prescribed the HERIZON treatment combination, read through this guide to empower yourself and prepare for treatment.

In this guide, you will find useful information about:

- GEA and what it means to be HER2+
- What to expect from and how to prepare for treatment
- The importance of tracking how you feel
- How to prepare for the possibility of diarrhea, a common side effect.
See page 8 for more details
- Resources available to support you through your journey



For caregivers: Look for tips throughout this guide to help you support your loved one, and yourself, during treatment.

Important Safety Information (cont'd)

What signs and symptoms of immune system problems can happen with TEVIMBRA?

Contact your healthcare provider right away if you develop any new or worsening symptoms including:

Lung problems: new or worsening cough, shortness of breath, chest pain.

Intestinal problems: diarrhea (loose stools) or more bowel movements than usual; stools that are black, tarry, sticky, or have blood or mucus; severe stomach-area (abdomen) pain or tenderness.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.



Actor portrayal.

What is HER2+ GEA?



GEA (or gastroesophageal adenocarcinoma) is a group of cancers within the digestive system.

GEA includes gastric cancer (cancer of the stomach), esophageal cancer (cancer of the tube that connects the throat to the stomach), and gastroesophageal junction cancer (cancer where the esophagus joins the stomach). This type of cancer starts when healthy cells within these digestive organs become cancerous and begin to grow and spread.

Being HER2+ (human epidermal growth factor receptor 2 positive) means that those cancer cells are making too much of a protein called HER2. This can cause the cancer to grow and spread more quickly.

The HERIZON treatment combination is designed to attack HER2+ GEA.

It works by activating your immune system to directly target and kill cancer cells.

Important Safety Information (cont'd)

Contact your healthcare provider right away if you develop any new or worsening symptoms including:

Liver problems: yellowing of your skin or the whites of your eyes, severe nausea or vomiting, pain on the right side of your stomach area (abdomen), dark urine (tea colored), bleeding or bruising more easily than normal.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.




Actor portrayals.


The HERIZON treatment combination works by engaging your immune system to fight cancer

TEVIMBRA[®]
(tislelizumab-jsgr)
Injection, for intravenous use 10 mg/mL

T cells are a type of white blood cell in your immune system. Their job is to find and destroy disease and infection throughout your body. When you have cancer, however, your T cells have been “switched off.” This allows the cancer to grow and spread more quickly.



But the HERIZON treatment combination reactivates your immune system to once again find and kill harmful cells, including cancer cells.



The combination contains TEVIMBRA, another medication called zanidatamab, and chemotherapy.

Together, these treatments are designed to attack HER2+ GEA from multiple angles:

- TEVIMBRA helps your immune system turn your T cells back on.
- Zanidatamab helps your T cells more easily find any cancer cells with HER2 on their surface.
- Chemotherapy works to destroy cancer cells throughout your body.

Important Safety Information (cont'd)

Contact your healthcare provider right away if you develop any new or worsening symptoms including:

Kidney problems: decrease in your amount of urine, blood in your urine, swelling in your ankles, loss of appetite.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

TEVIMBRA may help people with HER2+ GEA live longer

The HERIZON treatment combination (TEVIMBRA + zanidatamab + chemotherapy) was studied in a clinical trial of 914 people who had HER2+ GEA. People received either the HERIZON treatment combination or a different treatment combination (trastuzumab + chemotherapy, which was the standard of care at the time). **With the HERIZON treatment combination, people lived more than 6 months longer (26 months vs 19 months).**

↑ **2X**

More than twice as many people **were still alive after 2 years** compared to those taking trastuzumab + chemotherapy (38% vs 16%)



7 out of 10

70% of people saw their tumors shrink or even disappear. This response continued for nearly 2 years, which was 1 year longer than those taking trastuzumab + chemotherapy (21 months vs 8 months)

↓ **28%**

People taking the HERIZON treatment combination had a 28% lower risk of death

Important Safety Information (cont'd)

Contact your healthcare provider right away if you develop any new or worsening symptoms including:

Kidney problems: decrease in your amount of urine, blood in your urine, swelling in your ankles, loss of appetite.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

What is an infusion?

What is an infusion?

An infusion is a way to deliver medication slowly over time. TEVIMBRA is an intravenous (IV) infusion, which means it's delivered directly into your bloodstream through a vein.

Infusions are a very common ways to deliver medication, especially cancer medication. Your infusions may be given at your doctor's office, an infusion center, or another healthcare location. doctor's office, an infusion center, or another healthcare location.



Important Safety Information (cont'd)

Call or see your healthcare provider right away for new or worsening symptoms, including:

Skin problems: rash; itching; skin blistering or peeling; painful sores or ulcers in your mouth or in your nose, throat, or genital area; fever or flu-like symptoms; swollen lymph nodes.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

Preparing for infusions

Taking a few steps before your infusion appointment can help you feel ready to begin treatment.

Confirm

Confirm your appointment – make sure you know the date, time, and location of each infusion. You can also use this time to ask questions about the appointment, such as:

- Are there any foods or drinks I should avoid?
- Should I take my medications in the morning before treatment?
- How long will the infusion take?
- Will I be able to drive myself home afterwards?
- Who should I alert if I experience any side effects?

Ask

Come prepared with a list of questions – your doctor and nurses are there to help you, so don't be afraid to speak up if anything is unclear. You may also want to bring a friend or family member to ask questions and keep you company

Plan

Arrive early and wear comfortable clothes – you may have paperwork to fill out and you'll want to feel relaxed during the infusion. You can also consider wearing a shirt with sleeves that roll up past the elbows to make it easier to place the IV line

Managing diarrhea

Patients taking TEVIMBRA may experience diarrhea. If you experience diarrhea or other intestinal symptoms, contact your healthcare provider right away.

In the HERIZON clinical trial, patients were required to take loperamide (a common diarrhea medication) twice a day for the first 7 days of treatment to help manage this side effect. Your healthcare provider [your healthcare provider may recommend that you] take loperamide when you are starting treatment with TEVIMBRA.

Call your healthcare provider if you experience:

- Loose stools or more bowel movements than usual
- Stools that are a different color or texture than normal, or that have blood or mucus present
- Severe pain or tenderness in your stomach area/abdomen

For caregivers: You can help your loved one prepare for infusion by:

- **Offering to provide or schedule transportation** to and from the infusion center
- **Coordinating with the healthcare team** to keep up to date with the treatment schedule
- **Keeping a notebook** for recording information about treatment, symptoms, and medications



Please read the accompanying [Medication Guide](#) for TEVIMBRA and discuss it with your doctor.

Making yourself comfortable

Being at ease during your infusions is important. You may find it helpful to bring some of the items listed below along with you to each appointment:

- ✓ An insurance card and any necessary paperwork, such as a list of current medications
- ✓ A sweater, in case the infusion center is chilly
- ✓ A comfortable pillow and blanket
- ✓ A book or tablet to help pass the time
- ✓ Headphones or earplugs
- ✓ Healthy snacks or drinks

Be sure to ask your healthcare team if you have any questions about what items you are allowed to bring with you.

Please read the accompanying [Medication Guide](#) for TEVIMBRA and discuss it with your doctor.

TEVIMBRA[®]
(tislelizumab-jsgr)
Injection, for intravenous use 10 mg/mL



Actor portrayals.

What to expect during your infusions

The HERIZON treatment combination contains TEVIMBRA, zanidatamab, and chemotherapy. Below are instructions on receiving TEVIMBRA; however, your doctor may schedule all three treatments to be given at the same time—either every 2 weeks or every 3 weeks. Either way, the experience will be similar for all three.

Your first TEVIMBRA infusion

- **You will be given a comfortable chair in an infusion room.** Once you're comfortable, a nurse will set up your IV line and begin your infusion
- **Your infusion will last about 60-120 minutes, depending on the dose you are receiving.** During this time, a nurse will check on you periodically. Feel free to relax with a book or a podcast
- **If you experience any discomfort, let someone on the staff know.** They may need to monitor you a little more closely
- **You may need to stay for a bit after the infusion ends.** This is so the staff can make sure your body is tolerating the treatment

Be sure to talk to your doctor about your personalized treatment schedule. Your treatment duration may vary, depending on the type of chemotherapy your doctor has decided is best for you.

Your next TEVIMBRA infusions

- **Your infusions will be similar to your first,** but they may take less time
- **Your doctor will likely want to keep you on treatment for as long as it continues working,** provided you're able to tolerate it well
- **That said, you should continue to track how you feel** and let your doctor know if you experience any side effects
- **Your doctor will work with you** to decide how long treatment will last



For caregivers: Support and companionship go a long way during the infusion sessions. If your schedule allows, consider keeping your loved one company while they receive their infusion.

Important Safety Information (cont'd)

Call or see your healthcare provider right away for new or worsening symptoms, including:

Problems can also happen in other organs and tissues. These are not all of the signs and symptoms of immune system problems that can happen with TEVIMBRA. Call or see your healthcare provider right away for new or worsening symptoms, which may include: chest pain, irregular heartbeat, shortness of breath, swelling of ankles; confusion, sleepiness, memory problems, changes in mood or behavior, stiff neck, balance problems, tingling or numbness of the arms or legs; double vision, blurry vision, sensitivity to light, eye pain, changes in eyesight; persistent or severe muscle pain or weakness, muscle cramps; low red blood cells, bruising.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

It's important to watch for side effects

You know your body best.

To help track any side effects and minimize the chance that you will need to pause treatment, pay attention to how you are feeling.

Be sure to:

- **Communicate any side effects to your healthcare provider**
- **Write down any side effects you feel in a treatment journal**
- **Talk to your friends and family about side effects**
- **Reach out to support groups**

The most common side effects associated with TEVIMBRA:

- diarrhea
- nausea
- decreased appetite
- vomiting
- tiredness
- rash
- infusion reactions

See the following page for more possible side effects and talk to your doctor should they occur.



For caregivers: While you don't have to worry about side effects, your well being is still important. To stay healthy and positive, you may find it helpful to:


- **Join a caregiver support group** for guidance and to share your experiences
- **Delegate tasks** when feeling overwhelmed
- **Prioritize healthy habits** (eg, balanced diet, hydration, sleep, attending your own appointments)
- **Enjoy activities** and time with people you love

Please read the accompanying **Medication Guide** for TEVIMBRA and discuss it with your doctor.




Actor portrayals.

Other side effects to watch out for




Lung problems

- New or worsening cough
- Shortness of breath
- Chest pain




Kidney problems

- Decrease in your amount of urine
- Blood in your urine
- Swelling of your ankles
- Loss of appetite



Intestinal problems

- Diarrhea (loose stools) or more bowel movements than usual
- Stools that are black, tarry, sticky, or have blood or mucus
- Severe stomach area (abdomen) pain or tenderness



Liver problems

- Yellowing of your skin or the whites of your eyes
- Severe nausea or vomiting
- Pain on the right side of your stomach area (abdomen)
- Dark urine (tea colored)
- Bleeding or bruising more easily than normal



Skin problems

- Rash
- Itching
- Skin blistering or peeling
- Painful sores or ulcers in your mouth or in your nose, throat, or genital area
- Fever or flu-like symptoms
- Swollen lymph nodes



Hormone gland problems

- Headaches that will not go away or unusual headaches
- Eye sensitivity to light
- Eye problems
- Rapid heartbeat
- Increased sweating
- Extreme tiredness
- Weight gain or weight loss
- Feeling more hungry or thirsty than usual
- Urinating more often than usual
- Hair loss
- Feeling cold
- Constipation
- Your voice gets deeper
- Dizziness or fainting
- Changes in mood or behavior, such as decreased sex drive, irritability, or forgetfulness




For caregivers: You can help observe and take note of any side effects your loved one may be experiencing. Encourage them to be honest about their symptoms. Proactively talk with your loved one's healthcare team about any potential side effects.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

Continued on next page →

Other side effects to watch out for (cont'd)



Immune system problems in other organs

- Chest pain, irregular heartbeat, shortness of breath, swelling of ankles
- Confusion, sleepiness, memory problems, changes in mood or behavior, stiff neck, balance problems, tingling or numbness of the arms or legs
- Double vision, blurry vision, sensitivity to light, eye pain, changes in eyesight
- Persistent or severe muscle pain or weakness, muscle cramps
- Low red blood cells, bruising



Reactions during or shortly after the infusion that can sometimes be severe or life-threatening:

- Chills or shaking
- Itching or rash
- Flushing
- Shortness of breath or wheezing
- Dizziness
- Feeling like passing out
- Fever
- Back or neck pain



Discuss any side effects with your doctor, as some may be manageable.

Important Safety Information (cont'd)

Call or see your healthcare provider right away for new or worsening symptoms, including:


Infusion reactions that can sometimes be severe or life-threatening. Signs or symptoms of infusion reactions may include: chills or shaking, itching or rash, flushing, shortness of breath or wheezing, dizziness, feeling like passing out, fever, back or neck pain.

Rejection of a transplanted organ or tissue. Your healthcare provider should tell you what signs and symptoms you should report and monitor you, depending on the type of organ transplant that you have had.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

Managing your diet during treatment

GEA can impact your ability to swallow and/or digest food. This can make eating very challenging and can lead to significant weight loss. For this reason, it's important to have foods on hand that are soft, moist, and easy to swallow, such as:



For caregivers: help your loved one get the nutrients they need, try preparing foods like the ones listed above.



Some people with GEA may require a feeding tube. Feeding tubes can be very helpful for those having difficulty swallowing, eating, and drinking. If a feeding tube is needed, it is placed in the stomach or the intestine. It can be used for liquid forms of food or medicine. Your healthcare team will teach you and your caregivers how to care for and clean the equipment. If you have any questions, be sure to ask your healthcare team.

Important Safety Information (cont'd)

Call or see your healthcare provider right away for new or worsening symptoms, including:

Complications, including graft-versus-host-disease (GVHD), in people who have received a bone marrow (stem cell) transplant that uses donor stem cells (allogeneic). These complications can be serious and can lead to death. These complications may happen if you underwent transplantation either before or after being treated with TEVIMBRA. Your healthcare provider will monitor you for these complications.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

Cancer community resources



You and your caregivers are not alone. Organizations are here to help.

Visit the websites below for information about transportation, education, counseling services, and more:



Hope For Stomach Cancer is a 501(c)(3) nonprofit organization that provides resources to patients, caregivers, and loved ones while promoting early detection and prevention to the general and medical communities. Hope creates and facilitates programs that enable those affected by stomach cancer to take actionable steps to live the best possible life through each phase of the disease. Their vision is to bridge the gap between research and patient care.

stocan.org



The Gastric Cancer Foundation is a national nonprofit organization dedicated to improving the lives of people affected by stomach cancer and working with leading researchers to find a cure. The foundation website offers a comprehensive range of resources for those impacted by the disease. Online offerings include a confidential clinical trial finder, a secure community forum, and a video series with nutritional tips and recipes tailored to the unique needs of this population, among other valuable tools.

gastriccancer.org



CancerCare is the leading national organization providing free professional support services and information to help manage the emotional, practical, and financial challenges of cancer. Resources include counseling, educational workshops, and copayment assistance provided by prepared social workers and world-leading cancer experts.

cancer.org
800-813-4673



CSC is a global nonprofit network with 190 locations, including CSC and Gilda's Club centers as well as healthcare partnerships. These locations, along with a toll-free helpline, digital services, and award-winning education materials, provide \$50 million in free support services to patients and families each year.

cancersupportcommunity.org
272-867-5309



The American Cancer Society (ACS) is a nationwide, community-based volunteer health organization that aims to eliminate cancer as a major health problem. ACS provides information and support, such as transportation and lodging, to people in every community who have been touched by cancer.

cancer.org
800-227-2345

BeOne Medicines does not control or endorse third-party organizations. As such, BeOne Medicines makes no representation as to the accuracy or any other aspect of the information supplied by these organizations or contained on these websites. The information provided is meant for informational purposes only. It is not meant to replace your physician's medical advice.

Please read the accompanying [Medication Guide](#) for TEVIMBRA and discuss it with your doctor.

The myBeOne Support program is here for you throughout your treatment journey

myBeOne Support can pair you with a dedicated Oncology Nurse Advocate. They can provide personalized support for eligible patients and caregivers throughout treatment with TEVIMBRA.

Additional services include:



Simplifying access



Educating patients and caregivers about treatment and disease



Connecting patients to independent organizations* that may be able to assist with day-to-day living support

*Independent, third-party organizations have their own rules for eligibility. BeOne Medicines has no involvement in their decision-making or eligibility criteria. This information is nonexhaustive and not meant as an endorsement from BeOne Medicines.

myBeOneSupport[™]

For any questions, or to help you get started, call [1-833-234-4363](tel:1-833-234-4363), Monday through Friday, 8 AM–8 PM ET, to speak with an Oncology Nurse Advocate. You can also visit myBeOneSupport.com.

myBeOneSupport[™] is not insurance and does not guarantee product coverage or reimbursement.

Please read the accompanying [Medication Guide](#) for TEVIMBRA and discuss it with your doctor.

Important Safety Information



TEVIMBRA is a medicine that may treat certain cancers by working with your immune system. TEVIMBRA can cause your immune system to attack normal organs and tissues in any area of your body and can affect the way they work. These problems can sometimes become severe or life-threatening and can lead to death. You can have more than one of these problems at the same time. These problems may happen anytime during treatment or even after your treatment has ended.

Call or see your healthcare provider right away for new or worsening symptoms, including:

Lung problems: New or worsening cough, shortness of breath, chest pain.

Intestinal problems: Diarrhea (loose stools) or more bowel movements than usual; stools that are black, tarry, sticky, or have blood or mucus; severe stomach-area (abdomen) pain or tenderness.

Liver problems: Yellowing of your skin or the whites of your eyes, severe nausea or vomiting, pain on the right side of your stomach area (abdomen), dark urine (tea colored), bleeding or bruising more easily than normal.

Hormone gland problems: Headaches that will not go away or unusual headaches; eye sensitivity to light; eye problems; rapid heartbeat; increased sweating; extreme tiredness; weight gain or weight loss; feeling more hungry or thirsty than usual; urinating more often than usual; hair loss; feeling cold; constipation; your voice gets deeper; dizziness or fainting; changes in mood or behavior, such as decreased sex drive, irritability, or forgetfulness.

Kidney problems: Decrease in your amount of urine, blood in your urine, swelling in your ankles, loss of appetite.

Skin problems: Rash; itching; skin blistering or peeling; painful sores or ulcers in your mouth or in your nose, throat, or genital area; fever or flu-like symptoms; swollen lymph nodes.

Problems can also happen in other organs and tissues. These are not all of the signs and symptoms of immune system problems that can happen with TEVIMBRA. Call or see your healthcare provider right away for new or worsening symptoms, which may include: chest pain, irregular heartbeat, shortness of breath, swelling of ankles; confusion, sleepiness, memory problems, changes in mood or behavior, stiff neck, balance problems, tingling or numbness of the arms or legs; double vision, blurry vision, sensitivity to light, eye pain, changes in eyesight; persistent or severe muscle pain or weakness, muscle cramps; low red blood cells, bruising.

Infusion reactions that can sometimes be severe or life-threatening.

Signs or symptoms of infusion reactions may include: Chills or shaking, itching or rash, flushing, shortness of breath or wheezing, dizziness, feeling like passing out, fever, back or neck pain.

Rejection of a transplanted organ or tissue. Your healthcare provider should tell you what signs and symptoms you should report and monitor you, depending on the type of organ transplant that you have had.

Complications, including graft-versus-host-disease (GVHD), in people who have received a bone marrow (stem cell) transplant that uses donor stem cells (allogeneic). These complications can be serious and can lead to death. These complications may happen if you underwent transplantation either before or after being treated with TEVIMBRA. Your healthcare provider will monitor you for these complications.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

Important Safety Information (cont'd)

Getting medical treatment right away may help keep these problems from becoming more serious. Your healthcare provider will check you for these problems during your treatment with TEVIMBRA. Your healthcare provider may treat you with corticosteroid or hormone replacement medicines. Your healthcare provider may also need to delay or completely stop treatment with TEVIMBRA if you have severe side effects.

Before receiving TEVIMBRA, tell your healthcare provider about all of your medical conditions, including if you:

- have immune system problems such as Crohn's disease, ulcerative colitis, or lupus
- have received an organ or tissue transplant, including corneal transplant
- have received or plan to receive a stem cell transplant that uses donor stem cells (allogeneic)
- have received radiation treatment to your chest area
- have a condition that affects your nervous system, such as myasthenia gravis or Guillain-Barré syndrome
- are pregnant or plan to become pregnant. TEVIMBRA can harm your unborn baby.

Females who are able to become pregnant:

- Your healthcare provider will do a pregnancy test before you start treatment with TEVIMBRA.
- You should use an effective method of birth control during your treatment and for 4 months after your last dose of TEVIMBRA. Talk to your healthcare provider about birth control methods that you can use during this time.
- Tell your healthcare provider right away if you become pregnant or think you may be pregnant during treatment with TEVIMBRA.

Please read the accompanying Medication Guide for TEVIMBRA and discuss it with your doctor.

- are breastfeeding or plan to breastfeed. It is not known if TEVIMBRA passes into your breast milk. Do not breastfeed during treatment with TEVIMBRA and for 4 months after your last dose of TEVIMBRA.

Tell your healthcare provider about all the medicines you take, including prescription and over-the-counter medicines, vitamins, and herbal supplements.

What are the possible side effects of TEVIMBRA?

TEVIMBRA may cause serious side effects. See “What is the most important information I should know about TEVIMBRA?”

The most common side effects of TEVIMBRA when used in combination with platinum-containing chemotherapy include:

decreased white blood cell count; decreased salt (sodium) in your blood; increased glucose in your blood; decreased red blood cell count (anemia); tiredness; decreased appetite; increase in certain liver blood tests; decreased potassium in your blood; increase in certain kidney blood tests; decreased calcium in your blood; diarrhea; mouth sores; and vomiting.

These are not all the possible side effects of TEVIMBRA. Talk to your healthcare provider for medical advice about side effects.

You are encouraged to report negative side effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch or call 1-800-FDA-1088.

Visit TEVIMBRA.com
to learn more

Please read the accompanying [Medication Guide](#) for TEVIMBRA and discuss it
with your doctor.



TEVIMBRA, BeOne Medicines, and myBeOneSupport are trademarks owned by BeOne Medicines I GmbH or its affiliates. All other brand names and trademarks are the property of their respective owners. © BeOne Medicines I GmbH, 2026 All Rights Reserved. 0526-TEV-PRC-212 07/26

Actor portrayals.